

NEUROTHERAPY FORMULAE FOR TREATMENTS

ACID TREATMENTS FORMULAE

- ✓ (8) Pan
- ✓ (3) Gal
- ✓ (5) Mu⁰
- ✓ (3) Acid
- ✓ (3) Th + Ch

ACID-D-TREATMENT FORMULAE

(for Diabetics, Heart patients and patients of Autoimmune disorders)

- ✓ (8) Pan
- ✓ (3) Gal
- ✓ (5) Mu⁰
- ✓ (3) Acid
- ✓ (8) Ch only
- ✓ (20) Round Arrow (C1 – C7, T8 – L5)

The patient is to be given two to three acid treatments. If the acid is not reduced, then the patient should be given Sulta-Ulta treatment and Loveleen treatment in addition to acid treatment. The treatment is to be given twice a week to relieve the patient from acidity problems.

ALKALI / BASE TREATMENT

Normal pH of blood ranges between 7.36 and 7.44. If pH of the blood goes above 7.44, the condition is called alkalosis. For example this happens in the case of pulmonary ventilation. When a person climbs a hill at a stretch, pH of the blood may increase. In such cases, the following alkali formula is used:-

ALKALI TREATMENT FORMULA

- ✓ (4) Gal
- ✓ (4) Liv
- ✓ (4) Rt Ov
- ✓ (4) Liv⁰
- ✓ (4) Ch only

This formula is useful in treating disease due to Alkali, such as in spasticity cancer, fits etc.

MEDULLA TREATMENTS

- ✓ (6) Medulla
 - Activates Raphe part of Medulla and Pons.
 - Directly stimulates the hypothalamus by which the body temperature can be increased.
 - Also stimulates the hypothalamus gland to release TSH RH (TSH releasing hormone) and all other releasing hormones for the pituitary gland i.e. ACTH RH, LH RH, FSH-RH etc. After receiving these hormones the pituitary gland will produce the corresponding hormones like TSH, ACTGH, LH, FSH etc.
 - Reduces the pain in the body by inhibiting sensory nerves of the body going to the brain.
 - Open choked crossing point of optic nerves (chiasma)
 - Activates mamillary bodies
- ✓ (8) Medulla
 - Release serotonin; is useful for treatment of insomnia
- ✓ (10) Medulla
 - Activates Vagus nerve (tenth Cranial Nerve).

- ✓ (12) Medulla - Good for fits during sleep / fits which come immediately on getting up from sleeps; also removes intestinal worms.
- ✓ (15) Medulla - Release acetylcholine; has antitoxin effect; transmits nerve impulses to liberate Adrenaline.
- ✓ (20) Medulla - Release dopamine and is given to patients of Idiopathic Parkinson's disease.
- ✓ (30) Medulla - Release prostaglandins.

HEPARIN TREATMENT

Blood gets clotted when it erupts out of the blood vessel and forms hematoma. The hematoma presses on the blood vessel as well as on the surrounding tissues causing various signs and symptoms depending on the site.

The blood can also clot in any blood vessel. If it clots in an artery, and stops the blood flow of the organ to which it supplies, there will be Ischemia. This is especially serious if a thrombus is formed in an end-artery (the only artery supplying that part)

Or else, the clot in a vessel may get detached, will flow in the blood and may block a small artery (embolism) causing Ischemia.

In, all the three cases, the clot is the common factor and is to be removed to correct the disorder.

The clot consists of a fibrin mesh-work entangling the blood cells, Heparin, is a polysaccharide formed mainly in the liver, which prevent fibrin formation by activating antithrombin. Plasmin is formed from plasminogen whenever a clot is formed. Plasmin breaks down the fibrin and checks further clot formation or can also dissolve the clot.

HEPARIN OR P- HEPARIN (PLASMIN – HEPARIN) FORMULA

- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only – stimulation of lungs

This is the basic treatment to clear blood clots. It may be given to all patients. Especially those suffering from kidney disorders, diabetes, ischaemic heart disease and hypertension due to increased renin (treatment is given to reduce diastolic pressure).

Various versions of this treatment to suit specific ailments are given below.

A-HEPARIN FORMULA

- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only
- ✓ (2) Acid
- ✓ (4) Ch only

This treatment is to be given if there is pain in Mu^0 . If pain is in Liv^0 and also in Mu^0 , then check Acid point separately. If there is pain in Acid point, then give this treatment.

This treatment is good for patients who have pain because of bone disorders e.g. squar, cervical spondylite, pain in the bottom of feet etc.

G-HEPARIN FORMULA

- ✓ (30) Medulla

- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only

This treatment is given to form prostaglandins which can clear the inflammation of knee joints. It is very good for rheumatism. This treatment may also be given to MS (multiple sclerosis) and polio patients. But this treatment is not to be given to heart patients as it may create serious-cardiac problems.

J-HEPARIN FORMULA

- ✓ (4) Para
- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only

This treatment is useful for joint pain, high blood pressure, diabetes and all types of pain.

M-HEPARIN FORMULA

- ✓ (6) Medulla - to reduce blockage of ventricle No. 3 of the brain.
- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only

This treatment is good for meningitis and for patients whose third ventricle is blocked. It can also be used for removal of blood clots during menses.

T-HEPARIN FORMULA - (NOT FOR DIABETICS AND HEART PATIENTS)

- ✓ (4) Th + Ch
- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only

This treatment may be given to all patients who have no problem with thymus, i.e., those who do not suffer from autoimmune disorders.

T-T HEPARIN FORMULA – (NOT FOR DIABETICS AND HEART PATIENTS)

- ✓ (8) Th + Ch
- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only

This treatment may be given to hypertensive patients, who become paralysed due to haemorrhage and become unconscious.

If a person gets hurt then give 'T-Heparin' or 'T-T Heparin'.

X-HEPARIN FORMULA

- ✓ (10) Medulla
- ✓ (8) Pan
- ✓ (7) Liv
- ✓ (8) Ch only

Tenth cranial nerve i.e. Vagus nerve supplies neural messages from oesophagus upto end of transverse colon.

GAS-I TREATMENTS

- ✓ (3) Gas I - To stimulate intestines
- ✓ (6) Gas I - To produce small quantity of dopamine which will lower high blood pressure. High blood pressure will be reduced because Gas I' will dilate the kidneys. Renin from kidneys is decreased.
- '(6)
- ✓ (9) Gas I - To release more quantity of dopamine, by which output of blood from the heart will be increased by 50% i.e. output will be increased from 100cc. to 150cc. Automatically blood pressure will be increased.
- ✓ (12) Gas I - This is full dose of dopamine. Dopamine will be produced in the intestines by which we can cure Parkinson's disease. This is equivalent to (20) Medulla.

1,25-DIHYDROXYCHOLECALCIFEROL TREATMENT (1,25 DCC)

Provitamin D (Ergastrol) is present in the skin and is converted into vitamin D in the areas exposed to sunlight. Another source of vitamin D is food which is absorbed in the intestine. From both the sources Vitamin D goes to the liver and forms 25- hydroxyl form of Vitamin D which is more active than the previous form. The 25- hydroxyl form goes to the kidneys and forms most active 1,25-dihydroxy form. If 1,25 DCC is not formed in the kidneys in enough quantities, then calcium will not be absorbed in the intestine and most of the calcium will be excreted through the faeces.

1,25 DCC TREATMENT FORMULA

- ✓ (7) Liv - prepares 25-hydroxycholecalciferol
- ✓ (4) Para - prepares parathormone
- ✓ (7) Liv⁰ - activates right kidney
- ✓ (7) Mu⁰ - activates left kidney
- ✓ (8) Ch only - to remove carbondioxide
- ✓ (20) Round arrow

By activation of both kidneys 1,25 DCC is formed. Round arrow activates 31 pairs of peripheral spinal nerves.

First four points make pure 1,25 DCC formula.

If this formula of pure 1,25 DCC is to be used in countries like U.K. where sunshine is less, then the formula is to be modified as follows:

- ✓ (2) Para
- ✓ (7) Liv
- ✓ (2) Para
- ✓ (7) Liv⁰
- ✓ (7) Mu⁰

If the patient passes loose stools, he has more alkaline blood. Hence the order is to be reversed as follows:-

(7) Liv (4) Para (7) Mu⁰ (20) Round arrow (8) Ch only

NORMAL AND AJAY NORMAL TREATMENTS

NORMAL TREATMENT FORMULA

- ✓ (5) Pan - stimulation of pancreatic enzymes which dilute acidity of stomach.
- ✓ (3) Gal - stimulation of gall bladder and upper portion of ascending colon.
- ✓ (3) Spl - stimulation of spleen and upper portion of ascending colon.
- ✓ (5) Liv - stimulation of liver and middle portion of ascending colon.
- ✓ (5) Mu - stimulation of intestinal mucus and middle portion of descending colon.

AJAY NORMAL TREATMENT FORMULA

- ✓ (5) Pan
- ✓ (3) Gal
- ✓ (7) Liv
- ✓ (3) Gas I - for activating small intestine.

NORMAL – AJAY NORMAL FORMULA

- ✓ I Normal treatment formula
- ✓ II Ajay Normal treatment formula

This combination takes care of many ailments of the digestive system.

ULTA NORMAL FORMULA

- | Mild | | | Full | | |
|------|-----|-----|------|-----|--|
| ✓ | (8) | Pan | (5) | Pan | |
| ✓ | (1) | Spl | (3) | Spl | |
| ✓ | (1) | Gal | (3) | Gal | |
| ✓ | (3) | Mu | (5) | Mu | |
| ✓ | (3) | Liv | (7) | Liv | |

This is useful for decrease the motility of the intestine (Loose Motions)

ROUND NORMAL FORMULA

- | Mild | | | Full | | |
|------|-----|-------|------|-------|--|
| ✓ | (1) | Rt+Ov | (5) | Rt+Ov | |
| ✓ | (3) | Liv | (7) | Liv | |
| ✓ | (1) | Gal | (3) | Gal | |
| ✓ | (1) | Spl | (3) | Spl | |
| ✓ | (3) | Mu | (5) | Mu | |
| ✓ | (1) | Lt+Ov | (3) | Lt+Ov | |

This is using normal the motility of intestine & pains of slip disc.

VATER TREATMENT

‘Vater’ is the name of the ampulla (dilation) at the end of the duodenum, coming from the gall bladder and liver. Pancreatic duct also opens into this ampulla. The opening of this ampulla into the duodenum is guarded by the Sphincter of Oddi. Whenever the sphincter relaxes, the bile and the pancreatic juice enter the duodenum together. This relaxation is under neurohormonal control (ie., under stimulation by vagus nerve as well as by cholecystokinin). If this sphincter is blocked, these juices cannot enter the duodenum and back pressure is created, later hampering pancreatic secretions such as trypsinogen.

VATER TREATMENT FORMULA

- ✓ I (10) Medulla - for Vagus (10th Cranial nerve)
- ✓ (3) Old 'Nabhi set' - to set the abdominal organs
- ✓ (4) Ku - to activate the pineal gland
- Gal - till pain is removed (8 maximum)

- ✓ II Liv - till pain is removed (8 maximum)

This treatment is to be modified for heart patients having high cholesterol, as follows:-

- ✓ I (10) Medulla
- Old 'Nabhi set'
- ✓ (4) Ku
- ✓ (1) Gal
- Gal
- ✓ II (4) Liv

NEW GAL

- ✓ I Fast
- ✓ II Ajay normal
- ✓ III (6) T.F. Gal (6) NNS Gal (1)^{Pt} Gal × 6 Trt
- ✓ IV (15) Med
- ✓ V (10) Med (6) Gal 8 (3) Gal

CHOLE TREATMENTS

When the acidic chime from the stomach enters the duodenum, it stimulates the formation of two hormones namely, cholecystokinin and secretin. The amount of hormone secreted is directly proportional to the amount and strength of the acid. These hormones enter the blood and stimulate the pancreas to secrete digestive enzymes and sodium bicarbonate for neutralizing the acid. They also stimulate the liver and the gall bladder for formation and expulsion of bile into the duodenum.

CHOLE TREATMENT FORMULA

- ✓ (10) Medulla - to stimulate 10th cranial nerve
- ✓ (6) Gas I - activates jejunum
- ✓ (3) Gal - activates duodenum, CCK is released

This treatment may be given to diabetics and to patients of high blood pressure. It can reduce creatinine, blood pressure and sugar in the blood, it is also useful for cataract, night blindness and retinitis pigmentosa. It is not to be given to epileptics.

Chole treatment is beneficial for the children born to mother who were suffering from hypertension during pregnancy.

CHOLECYSTOKININ TREATMENT FORMULA

- ✓ (10) Medulla
- ✓ (3) Gal

This treatment is useful for treating abdominal disorders.

SECRETIN TREATMENT FORMULA

- ✓ (10) Medulla
- ✓ (6) Gas only

This treatment is proved to be very good for MS patients and for retarded children. It is also useful in clearing burning sensation in chest.

CCK – NORMAL TREATMENT FORMULA

- ✓ (10) Medulla
- ✓ (1) Gas only
- ✓ (1) Gal
- ✓ (1) Gas I
- ✓ (2) S4-S5

This treatment is given to improve digestion. This treatment is also given for night blindness.

VIRUS TREATMENT

Human body has two types of defences against invading organisms. Innate defences as skin are mechanical barriers. The second type of defence is called adaptive system. It is based on specialized white blood cells called lymphocytes, which respond to invasion of the body by microorganisms.

B cells secrete chemicals called antibodies, which circulate in the blood and attack specific organisms which cause disease.

T cells attack the organisms directly. These cells can retain a memory of earlier infections and respond quickly to further attacks.

Tonsils, thymus, spleen and lymph nodes at various parts of the body are the defence mechanisms.

VIRUS TREATMENT FORMULA

- ✓ (5) Lymph - for secretion of γ globulin by B cells
- ✓ (3) Spl - for production of antibodies & WBC
- ✓ (8) Thymus only - activates T cells
- ✓ (12) Armpit - activates lymph nodes for antibodies
- ✓ Ton (P) - activates parotid lymph glands

This treatment is good for spastic children. It is not to be given to patients having autoimmune disorders.

VITAMIN B₁₂ TREATMENT

Vitamin B₁₂ is required to form red blood cells (RBC). Low RBC count leads to various types of anaemias and associated disorders of the blood. To increase production and absorption of vitamin B₁₂ in the body, the following treatment is useful.

VITAMIN B₁₂ FORMULA

- ✓ (3) Gal
- ✓ (7) Liv
- ✓ (8) Left 'Parkhoo'

FOLIC ACID TREATMENT

Folic acid belongs to Vitamin B complex group. It is also required for formation of blood cells. Its deficiency causes Megaloblastic anaemia.

FOLIC ACID TREATMENT FORMULA

- ✓ (6) Gas only
- ✓ (6) Gas I
- ✓ (6) Rt Ov

If at the end of the formula, (8) Rt 'Parkhoo' is added, then it is known as pure folic acid formula.

BLACK TREATMENT

Black treatment is a combination of Folic Acid and B₁₂ formulae. It is used in many treatments such as removing melanin from the body.

BLACK TREATMENT FORMULA

- ✓ (6) Gas only
- ✓ (6) Gas I
- ✓ (6) Rt Ov
- ✓ (3) Gal
- ✓ (7) Liv
- ✓ (8) Left 'Parkhoo'

FOLIC BLACK TREATMENT

FOLIC BLACK TREATMENT FORMULA

- ✓ (8) Right 'Parkhoo'
- ✓ (3) Gal
- ✓ (7) Liv
- ✓ (8) Left 'Parkhoo'

This treatment is used for removing pigmentation. It is also used for Pellagra patients and for patients suffering from Paralysis.

NEW STAR TREATMENT

This treatment is given to remove pain in the body. This treatment is good for rheumatoid arthritis patients. It is stated that the planets have an effect on the pineal gland, which is responsible for change in the chemicals of the body. In NT, we activate the pineal gland by 'Ku'

NEW STAR TREATMENT FORMULA

- ✓ (3) Old 'Nabhi set'
- ✓ (3) Toe fingers
- ✓ (3) New 'Nabhi set'
- ✓ (Gal) (max. 6) - till pain is removed; activates vater
- ✓ Wd (max. 6) - till pain is removed; activates ileum
- ✓ (4) Ku - activates the pineal gland.
- ✓ (20) Round Arrow - stimulates 31 pairs of spinal nerves

After this treatment, rub each area where pain is felt by the patient. H₂CO₃ will break up into H₂O and CO₂ and the patient will be relieved from pain.

'NUMBER FOUR' TREATMENT

'Number four' is a name given to the pain diffused all over the abdomen. When the pain at all digestive organ points does not subside even after giving other treatments two or three times, then the following formula is used.

'NUMBER FOUR' FORMULA

- ✓ (10) Medulla
- ✓ (4) Thrd (P)
- ✓ (20) Round arrow
- ✓ Pan (max.8) - till the pain is relieved

MAGOW TREATMENT

This treatment is very effective for patients of ischaemic heart disease.

MAGOW TREATMENT FORMULA

- Old 'Nabhi set'
- New 'Gas Ikattha'
- Normal treatment formula
- ✓ (6) Gas I
- Neck 'Ghisai'

ANGIOTENSIN NO. II TREATMENT

If by chance any patient has lost half litre or more blood through menses or haemorrhage, the quantity of blood is reduced in the arteries and due to this, the blood pressure will go down. For example, if B.P. is suddenly decreased to 80/50 then to increase this blood pressure, we must give the following treatment by which the arteries will shrink automatically till the blood pressure comes to normal stage within a short time.

ANGIOTENSINOGEN NO. II FORMULA

- ✓ (7) Liv - to produce Angiotensinogen
- ✓ (7) Mu⁰ - Angiotensinogen is converted by action of renin from kidney, into Angiotensin No.
- ✓ (6) Lu+Sh - for preparing converting enzyme in lungs to convert Angiotensin No. I into Angiotensin No. II

This treatment is not to be given to those patients whose blood pressure is normally low. For them, (2) Para (vasopressin) is to be given

GENES AND NEW GENES TREATMENTS

GENES TREATMENT FORMULA

- ✓ (7) Liv
- ✓ (4) Para
- ✓ (7) Liv⁰
- ✓ (7) Mu⁰
- ✓ (8) Lt 'Parkhoo'

NEW GENES TREATMENT FORMULA

- ✓ (8) Pan
- ✓ (6) Wd
- ✓ (8) Ch only

- ✓ (20) Round arrow

LACTIC ACID CONVERSION TREATMENT

LACTIC ACID CONVERSION FORMULA

- ✓ (6) Rt Ov
- ✓ (6) Lt Ov
- ✓ (8) Pan
- ✓ (12) Liv
- ✓ (6) Adr

ABDOMINAL PAIN RELIEF TREATMENTS (APR)

The patient complains of severe pain in the stomach (abdominal colic). He may or may not have loose motions. The treatment differs according to absence or number of loose motions.

ABDOMINAL PAIN WITHOUT LOOSE MOTIONS

- ✓ I (3) Gal
- ✓ (3) Spl
- ✓ (7) Liv
- ✓ (5) Mu

- ✓ II (6) Gas only
- ✓ (6) Gas I

- ✓ III (5) Pan
- ✓ (6) Wd
- ✓ (8) Ch only
- ✓ (20) Round arrow

- ✓ IV (7) Liv⁰
- ✓ (7) Mu⁰
- ✓ (8) Ch only
- ✓ (20) Round arrow

ABDOMINAL PAIN WITH SOME LOOSE MOTIONS

- ✓ (6) Swt
- ✓ (3) Spl
- ✓ (3) Gal
- ✓ (5) Mu
- ✓ (7) Liv

ABDOMINAL PAIN WITH TOO MANY LOOSE MOTIONS

- ✓ I (6) Swt

- ✓ II (6) Swt
- ✓ (3) Spl
- ✓ (3) Gal
- ✓ (5) Mu
- ✓ (7) Liv

MULTIVITAMIN TREATMENT

FIRST TREATMENT

- ✓ (1) Pit
- ✓ (3) Gal
- ✓ (7) Liv - Vitamin B₁₂ formula
- ✓ (8) Lt. 'Parkhoo'
- ✓ (2) Adr

SECOND TREATMENT

- ✓ (4) Pait - to increase sugar
Vitamin B₁₂ formula
- ✓ (6) Adr - to increase quantity of sodium

THIRD TREATMENT

- ✓ (4) Para
Vitamin B₁₂ formula

Note : This treatment is very good for paralytic patients

FOURTH TREATMENT

- ✓ (2) Para
Vitamin B₁₂ formula
- ✓ (2) Adr

INFLAMMATION TREATMENT FORMULA

- ✓ I (6) Adr
- ✓ II (6) Adr
- ✓ III (6) Adr

If patient is not suffering from any hear ailments, then the following treatment may be given alternatively:-

- ✓ I (30) Medulla
- ✓ II (6) Adr
- ✓ III (6) Adr

ALKALINE TREATMENTS

The lymphs from right side of the brain, right half of the thorax, right lung, right side of the heart, right half of the head and neck flow into the right jugular vein and lymphs from right jugular vein and lymphs from right leg, left leg, whole of abdomen, left arm, left side of the heart, left half of thorax, left lung and left side of the head and neck flow into the left juglar vein.

(i) ALKALINE - ALKALINE TREATMENT

For reducing spasticity and alkali of the body, the sequence is :
Right arm, right leg, left leg, left arm

The patient lies flat on his back. Keep the right hand of the patient up, two inches away from the right ear. Start pressing from palm towards the clavicle so that the lymph fluid is pushed into the armpits. Press on supraclavicular right notch. Next, the patient lies on his right side. Fold the left leg at hip and knee. Keep the right leg stretched. Start pressing the right leg from ankle upwards, thus pushing the lymph towards and into the groin. Then the patient turns on his back. Put a pillow under the thighs and give pressure with both heels on both groins (lymph points). Repeat the complete process for left

leg and groin. Lastly, give the treatment to left hand by pressing from palm towards left armpit and finally ending with pressure on the supraclavicular left notch.

(ii) ALKALI - ACID TREATMENT

If acidity of the patient is to be reduced, then the sequence is :

Left leg, right leg, left arm right arm.

ALKALINE RIGHT SIDE TREATMENT FORMULA

Mild			Full	
✓	(2)	Gal	(4)	Gal
✓	(2)	Liv	(4)	Liv
✓	(2)	Rt+Ov	(4)	Rt+Ov
✓	(2)	Liv ⁰	(4)	Liv ⁰
✓	(2)	Rt+Ch	(4)	Rt+Ch

LEFT SIDE TREATMENT

LEFT SIDE TREATMENT FORMULA

Mild			Full	
✓	(2)	Spl	(4)	Spl
✓	(2)	Const	(4)	Const
✓	(2)	Mu	(4)	Mu
✓	(2)	Lt Ov	(4)	Lt Ov
✓	(2)	Mu ⁰	(4)	Mu ⁰
✓	(2)	Thyroid	(4)	Thyroid
✓	(2)	Adr	(4)	Adr

This treatment is useful for patients having chronic constipation problem.

JIVANDHARA TREATMENT

a) FOR PATIENTS WITH ACIDITY AND CONSTIPATION

- ✓ I (3) Gal
- ✓ (3) Spl (Not for patients with autoimmune disorders)
- ✓ (7) Liv
- ✓ (5) Mu
- ✓ (6) Gas I

- ✓ II New Genes treatment formula

b) FOR PATIENTS HAVING SEMI-SOLID MOTIONS

- ✓ I (3) Gal
- ✓ (3) Spl (Not for patients with autoimmune disorders)
- ✓ (7) Liv

- ✓ (5) Mu
- ✓ II (3) Gas only
- ✓ (6) Gas 12
- ✓ III New Genes treatment formula

c) FOR PATIENTS WITH LOOSE MOTIONS

- ✓ I (3) Gal
- ✓ (3) Spl (Not for patients with autoimmune disorders)
- ✓ (7) Liv
- ✓ (5) Mu
- ✓ II (6) Gas only
- ✓ (6) Gas I
- ✓ III New Genes treatment formula

NEW NORMAL TREATMENT FORMULA

- ✓ I (½) Ku (20 sec.)
- ✓ II (6) Medulla
- ✓ III (10) Mudulla
- ✓ (4) Thyroid
- ✓ IV (1) Gas only
- ✓ (2) Gas I
- ✓ (2) Rt Ov
- ✓ (2) Liv
- ✓ (2) Gal
- ✓ (2) Spl
- ✓ (2) Mu
- ✓ (2) Lt Ov
- ✓ (2) S4- SS
- ✓ (2) Adr

This treatment is useful for patients having chronic constipation problem and for all types of abdominal disorders.

OXYGEN TREATMENT FORMULA

- ✓ I (8) Ch only
- ✓ (6) Back arrow
- ✓ (6) Steretch
- ✓ (20) On the spine (T6 to L5)
- ✓ (20) Besides the spine (T6 to L5)
- ✓ (20) Round arrow (T6 to L5)
- ✓ (6) Back arrow
- ✓ (6) Stretch

- ✓ II New Genes treatment formula

This treatment is useful for patients having Asthma and for all types of Breathing problems.

INJURY TREATMENT FORMULA

- ✓ I (60) T. F. Gal Liv × 3
- ✓ II (1) Gal (4) Liv (4) Ch.
- ✓ III (1) Gal (4) Liv (4) Th + Ch
- ✓ IV (1) Gal (4) Liv (8) Th + Ch

This treatment is using for all types of injury.

VASOPRESSIN FORMULA

- ✓ (2) Para only

OLD U.D.F.

- ✓ I (15) Med
- ✓ II (3) Raman
- ✓ III (2) Rt Pankhoo (2) Lt. Pankhoo
- ✓ IV (½) Kn 20 Sec × 4 Trt
- ✓ V (10) Med (6) Gal only
- ✓ VI Fast
- ✓ VII Ajay normal

H.C.L. FORMULA

- ✓ I (15) Med.
- ✓ II (2) Dorsal
- ✓ III (½) Ku 6 Sec
- ✓ IV (1)^{Pt} Gal
- ✓ V B₁₂ 2:4:4
- ✓ VI Fast
- ✓ VII Ajay normal

CAUDA EQUINA PLUS

- ✓ I CNNC Gas Gas all 3 sides × 2
- ✓ II New CNNS Gal Liv × 2
- ✓ III CNNS Pan Pan Gal Liv Gas Gas Gal Liv
- ✓ IV (3) T.F. Pan Pan Gal Liv Gas Gas Gal Liv
- ✓ V (1)^{Pt} Pan (1)^{Pt} Gal (1)^{Pt} Liv (1)^{Pt} Gas (1)^{Pt} Gal (1)^{Pt} Liv × 3

L.B.A.

- ✓ I (3) Gal (3) Spl (7) Liv (5) Mu
- ✓ II (8) Pan (6) W.D. (8) Th + Ch (2) Pit (8) ↑ ↓
- ✓ III (7) Liv⁰ (7) Mu⁰ (8) Ch (20) ↑ ↓

NEUTRAL

- ✓ I (1)^{Pt} Gal (1)^{Pt} Spl (1)^{Pt} Liv (1)^{Pt} Mu (1)^{Pt} Rt + Ov (1)^{Pt} Lt + Ov
- ✓ II (1)^{Pt} Gal (1)^{Pt} Spl (1)^{Pt} Liv (1)^{Pt} Mu (1)^{Pt} W.D.0 **X3**

METABOLISM

- ✓ (2) Pan (1)^{Pt} Gal (1)^{Pt} Liv (1)^{Pt} Pan (1)^{Pt} Gal (1)^{Pt} Liv (1)^{Pt} Gal (1)^{Pt} Gal (1)^{Pt} Liv (1)^{Pt} Gal I
(1)^{Pt} Gal (1)^{Pt} Liv **X 3**

DOPAMINE

- ✓ (2) Med

CARDIAC TREATMENT FORMULA

- ✓ I (4) Med C/W T₁ T₂
- ✓ II (10) Pan (2) Thrd
- ✓ III (1) Gal (4) Liv
- ✓ IV (8) Pan (7) Liv (8) Ch

CALCIUM

- ✓ I Fast
- ✓ II Ajay normal
- ✓ III (3) Gal (7) Liv
- ✓ IV (7) Liv (4) Para (7) Liv⁰ (7) Mu⁰ (8) Ch (20) ↑ ↓

MULTI HEPARIN

- ✓ I (15) Lt Med. (6) Lt Swt
- ✓ II (4) Para (7) Liv (8) Ch (10) A.D.R.
- ✓ III (18) Pan (7) Liv (8) Ch
- ✓ IV (2) Pan (7) Liv (8) Ch
- ✓ V (½) Ku (6) Sec × 8
- ✓ VI (8) Pan (7) Liv (8) Ch

HORMONAL

- ✓ I (3) Raman × 1
- ✓ II Folic 2:4:4
- ✓ III Thiamine 2:4:4
- ✓ IV B₁₂ 2:4:4
- ✓ V Niacine 2:4:4
- ✓ VI Fast
- ✓ VII (1) Pit (1) Thrd (1) A.D.R. (½) 20 Sec
- ✓ VIII Ajay normal

INFECTION & INFLAMMATION

- ✓ I (½) Ku 20 Sec × 2
- ✓ II (½) Ku 13 Sec × 2
- ✓ III (½) Ku 6 Sec × 2

OXYGEN HORMONAL

- ✓ I (2) $\begin{matrix} \nearrow \\ \circ \\ \searrow \end{matrix}$ (1) $\begin{matrix} \uparrow \\ \circ \\ \uparrow \end{matrix}$ (3) Organ clear (5) \updownarrow (5) $\updownarrow\updownarrow$ (5) $\up \downarrow$
- ✓ II (1) Liv⁰ (1) Mu⁰
- ✓ III (2) Ch
- ✓ IV (3) F.L. (6) T.F. (3) NNS
- ✓ V (3) Raman \times 1
- ✓ VI Folic 2:4:4
- ✓ V Thiamine 2:4:4
- ✓ VI B₁₂ 2:4:4
- ✓ VII Niacine 2:4:4
- ✓ VIII Fast
- ✓ IX (1) Pit (1) Thrd (1) A.D.R. ($\frac{1}{2}$) Ku 20 Sec.
- ✓ X Ajay normal

This formula is very helpful in back pain, mental retardation, MS, MND, Myopathy, less Platelets count & all types of genetic disorders.

NEW U.D. F. CHANGE FORMULA

- ✓ I Oxygen
- ✓ II (7) Liv⁰ (7) Mu⁰ (8) Ch (20) $\up \downarrow$
- ✓ III (8) Pan (7) Liv (8) Ch
- ✓ IV Subclevian + (10) Mukkhadhoti
- ✓ V Tylin
- ✓ VI 3 Raman \times 2
- ✓ VII (15) Med
- ✓ VIII (2) Rt Parkhoo (2) Lt Parkhoo
- ✓ IX ($\frac{1}{2}$) Ku (20) Sec \times 2
- ✓ X (10) Med (1) Gas only 6^{pt}
- ✓ XI Fast
- ✓ XII Ajay normal

This formula is helpful in Bamboo Spine, Deformity of Bones, Hepatitis B, Idiopathic, Idiopathic Scoliosis, Rickets

KIDNEY CLEAR

- ✓ I (1) Liv⁰ (1) Mu⁰ (2) Ch (5) $\up \downarrow$
- ✓ II (3) Liv⁰ (3) Mu⁰ (4) Ch (10) $\up \downarrow$
- ✓ III (5) Liv⁰ (5) Mu⁰ (6) Ch (15) $\up \downarrow$
- ✓ IV (7) Liv⁰ (7) Mu⁰ (8) Ch (20) $\up \downarrow$

ULTA KIDNEY CLEAR

- ✓ I (1) Mu⁰ (1) Liv⁰ (5) $\up \downarrow$ (2) Ch
- ✓ II (3) Mu⁰ (3) Liv⁰ (10) $\up \downarrow$ (4) Ch
- ✓ III (5) Mu⁰ (5) Liv⁰ (15) $\up \downarrow$ (6) Ch
- ✓ IV (7) Mu⁰ (7) Liv⁰ (20) $\up \downarrow$ (8) Ch

NEW STAR MODIFY

- ✓ (3) ONS (20) T.F. (6) NNS (6) Gal (6) W.D. ($\frac{1}{2}$) Ku 40 Sec (20) $\up \downarrow$

HOT FLASHES

- ✓ (6) Rt + Ov (6) Lt + Ov (2) Pit (20) ↑ ↓ (6) A.D.R.

COMPLEMENT SYSTEM FORMULA

- ✓ I Endorphin
- ✓ II P-Tylin
- ✓ III (3) Raman
- ✓ IV Subclavian
- ✓ V (1) Thymus
- ✓ VI (1) lymph
- ✓ VII Ton T
- ✓ VIII (½) Ku 20 Sec
- ✓ IX (½) Ku 13 Sec
- ✓ X (½) Ku 6 Sec
- ✓ XI (½) Ku 3 Sec
- ✓ XII New CNNS Gal Liv × 2 Trt
- ✓ XIII CNNS Pan Pan Gal Liv Gas Gas Gal Liv
- ✓ XIV (6) A.D.R.

VASAL GANGALIYA

- ✓ I (15) Medulla × 2
- ✓ II (4) Mesencephalon × 2
- ✓ III (6) SWT × 2