





































































NEUROTHERAPY SYMBOLS FOR FORMULAE & TREATMENT















1.	Pan Pancreas (1=1)		Trunk and thigh joint; on both legs
2.	Gal Gall bladder (3=1)		On left thigh; use one leg
3.	Spl Spleen (3=1)		On right thigh; use one leg
4.	Dys Dysentery (1=1)		Just above left knee; use both legs
5.	Const Constipation (1=1)		Just above right left knee; use both legs
6.	Liv Liver (1=1)		On left thigh and left forearm; between elbow and wrist
7.	Mu Mucus (1=1)		On right thigh and right forearm; between elbow and wrist
8.	Liv ⁰ For right kidney (1=1)		Left thigh and left shoulder joint
9.	Mu ⁰ For left kidney (1=1)		Right thigh and right shoulder joint
10.	Gas only or Gal 'Khali' Stomach Gas		From hip joint to knee; on both thighs
11.	Gas 1 Gas intestines		From knee to ankle; on calf muscles of both legs
12.	Wd (white discharge) Man - Prostate problems, Woman - Uterus problems (3=1)		Elbow to wrist both sides
13.	Rt Ov Man - Right testis		Left elbow to wrist












	Woman – Right ovary (3=1)		
14.	Lt Ov Man – Left testis Woman – Left ovary (3=1)		Right elbow to wrist
15.	Lu + Sh Lung and shoulder (1=1)		On shoulder and below collar bone
16.	Pit Pituitary gland (4=1)		Both arms – elbow and shoulder
17.	Tennis Elbow		On the side where the elbow points
18.	Thrd (P) Anterior pituitary (4=1)		Left side – elbow and shoulder
19.	Para Parathyroid (4=1)		Right side – elbow and shoulder
20.	Electrical Waves (3=1)		From back side of the ears to neck; with the heel
21.	Thymus (3=1)		In the centre of the line nipples and in upward direction (45°); give on both sides
22.	Ch only Chest only (3=1)		Nipple to neck, both sides
23.	Armpits		Under the armpits in upward direction; both sides
24.	Sulta Ulta		Both arms, elbow to palms; facing up (sulta) and facing down (ultra); arms stretched out at 90°
25.	Both Arms and Both Fore_Arms (BAFA)		Both arms, elbow to palms; facing up and facing down; arms near the trunk
26.	Loveleen		From chest bone to arm
27.	Thrd (2=1)		Thyroid gland






28.	Ton 'P'		Tonsils and parotid glands; to be given on both sides
29.	Ton 'T'		Tonsils and parotid glands; + Sangam + Between Thumb and forefinger + Both Heels
30.	Lymphs		The groins – press inwards with heels
31.	Knee cap free and knew pain		Softly with fingers, to free knee cap
32.	L1-L2-L3 For L1, L2, L3		Upper thigh and middle thigh above the knee
33.	L4-F5-S1 For L4, L5, S1		Below the knee on the calf muscles; above ankles
34.	Acid		On right leg with both feet on the region of the thigh
35.	Lt 'Parkhoo' for Vitamin B ₁₂ (2=1)		Fold both legs; press left femur near the hip socket at two places
36.	Pradip Trt. For knee pain		From knee to groins; from knee to ankle
37.	Adr Adrenal		T6 To T12 – Thoracic sixth vertebra to the twelfth vertebra
38.	Swat (Sweat) T6 to T12		Use edge of palms of both hands
39.	T8 For adrenal, kidneys and Pan		Press thoracic 8 th vertebra
40.	Back arrow Blood supply to tongs (3=1)		On the back side
41.	Harrow For deafness and eyes		T4 to T1 on both sides of the spine

42.	Shoulder blades		On back side; both hands downwards at pelvic bone level
43.	Shoulder blades		On back side; both hands upwards in the direction of the head.
44.	Round Arrow (Sudhir arrow)		On back side; around the spine; C1 to C7 and T1 to L5 in clock wise direction
45.	On the spine		On the vertebra – C1 to L5 and L5 to C1 – downwards and upwards – both directions
46.	Beside the spine		On both sides of the spinal column. By the side of C1 to L5 downwards and L5 to C1 upwards.
47.	S4-S5 – for sacral nerves		Outside S4; outside S5
48.	For piles and bed wetting		First S5, second S3, third S1
49.	Blood supply to legs (for polio)		Both sides of S1 to S5
50.	'Ghisai' L5 – S1		In the center L5 to S3 upwards and downward from sides S3 to L5
51.	Blood supply to sides		
52.	Tail bone pain		First S5, second S3, third S1
53.	Fractured L3, 4, 5		From side of S1 to S5; from back of thigh from the beginning of femur bone to the knee
54.	Ku (2=1) Kundali		Backside of thighs at the joint, just above anus
55.	Bottom of feet "All 4 sides for Sprain"		Back of heels to calves; back side and both sideways and front i.e. all four sides

56.	Necklace		Bottom of skull right to left
57.	Motor Neuron		On T1 level
58.	Hard of Hearing		Press with thumb both ears as shown
59.	Speech point		Lt Side only; near the left temple bone
60.	Lacrimal Point		On the bridge of the nose as shown
61.	Bell's Palsy For facial paralysis		Massage entire face from the side which is twisted, to the side which does not open fully
62.	Back of knees		Behind the knee; Backside of the patella up and down as shown
63.	Shukla		Move the paralysed foot and hand clockwise and anticlockwise
64.	Hammering		Both sides of skull with rubber hammer
65.	Neck 'Ghisai'		Rubbing of neck on the back side
66.	Medulla		Side of neck with base of the thumb First left then right
67.	Hydrocele Point		3" to 7" above both ankles
68.	Prolapse point (Jerk)		Midpoint of both thighs; press with heels (one leg at a time)

69.	Up-arrow		On the spine – upwards – T12 to T1
70.	Down arrow		On the spine – downwards – T1 to T12
71.	Vocal		Both sides of the throat; centre to sideways
72.	Stretch		On the forearms; hands stretched outwards
73.	Pan Sonee		Above the pelvic bones; below the navel
74.	Pan Pelvic		Above the pelvic bones
75.	Teeth Point		As shown
76.	J groin		Outside the upper femur
77.	J Back		Outside the femur on the back side
78.	Rt 'Parkhoo' for Folic acid		Fold both legs; press right femur near the hip socket at two places.
79.	Folded Legs		
80.	Mesencephalon		
81.	Dorsal		
82.	Raman		

83.	Endorphin		
84.	Subclavian		
85.	Ptyalin Treatment		
86.	Shivaji		
87.	Sinus point		
88.	Folic		
89.	Thia = Thiamine		
90.	B ₁₂		
91.	Nia = Niacin		
92.	Right vitamin formation		
93.	Left vitamin formation		

94.	Pelvic		
95.	Bending forward		
96.	Bindu		
97.	Giriraj		
98.	Prolapse Point		
99.	Motor neuron	